CADILLAC MINES CORPORATION

Kerr-Addison – Chesterville East Extension and Drilling Below and Within the Resource Pit

Kerr-Addison – Chesterville East Extension, and Drilling Below and Within the Resource Pit as referenced in the news release dated November 23, 2026

Table 1.

Kerr-Addison – Chesterville East Extension and Drilling Below and Within the Resource Pit Drill Hole Assay Composites:

Hole ID	From (m)	To (m)	Downhole Interval (m)	ETW (m)	Au (g/t)	Zone
KAD26-456	21.0	22.0	1.0	0.5	0.72	KA Open Pit
	79.0	80.0	1.0	0.5	1.70	
	140.0	141.0	1.0	0.5	0.20	
KAD26-460	47.4	52.0	4.6	2.9	0.36	KA Open Pit
	56.1	57.1	1.0	0.6	0.90	
	101.1	103.0	2.0	1.3	1.13	
	107.3	122.0	14.6	9.5	1.46	
	125.7	142.0	16.3	10.6	0.68	
	145.7	148.0	2.3	1.5	0.30	
	231.9	241.1	9.1	6.3	1.78	
KAD26-464	37.0	45.0	8.0	4.4	0.30	KA Open Pit
	81.5	82.4	0.9	0.5	0.43	
KAD26-489	7.9	8.9	1.1	0.6	0.20	KA Open Pit
	13.0	14.0	1.0	0.5	0.36	
	19.0	26.0	7.0	3.8	7.96	
Incl.	*23.9*	*26.0*	*2.1*	*1.2*	*22.50*	
	166.3	167.0	0.7	0.4	0.64	
	446.7	452.0	5.3	3.4	0.52	
	461.0	463.0	2.0	1.3	0.31	
	466.0	467.0	1.0	0.7	0.27	
	489.0	492.7	3.7	2.4	0.96	
	501.0	506.4	5.4	3.6	0.73	
	518.0	519.0	1.0	0.7	0.26	
	522.8	524.7	1.9	1.3	0.43	
KAD26-490	177.4	179.0	1.7	1.3	0.29	KA Open Pit
	213.0	216.0	3.0	2.3	0.69	
	246.1	248.0	2.0	1.6	0.39	
	268.0	269.0	1.0	0.8	1.38	
	286.0	287.0	1.0	0.8	0.24	
	288.0	289.0	1.0	0.8	0.27	
KAD26-497	207.0	209.4	2.4	1.3	0.50	CVE Extension
	257.8	259.0	1.2	0.7	1.17	

Corporate Office
123 Front Street West, Suite 905
Toronto, ON M5J 2M2

705-998-4392
contact@cadillacmines.com
www.cadillacmines.com

Project Office
1 Kerr Mine Road
Virginiatown, ON P0K 1X0

Hole ID	From (m)	To (m)	Downhole Interval (m)	ETW (m)	Au (g/t)	Zone
	265.0	268.0	3.0	1.7	0.49	
	272.5	273.0	0.5	0.3	0.25	
	353.0	354.1	1.1	0.6	0.27	
	354.3	357.0	2.7	1.5	0.33	
	367.0	368.0	1.0	0.6	0.29	
	373.1	378.3	5.3	3.0	0.36	
	421.0	424.0	3.0	1.8	0.51	
KAD26-499	130.7	138.9	8.2	6.3	0.53	CVE Extension
	186.1	187.0	0.9	0.7	0.30	
KAD26-499A	150.0	158.5	8.5	5.4	2.76	CVE Extension
	220.0	221.0	1.0	0.7	0.40	
	230.0	231.0	1.0	0.7	0.20	
KAD26-499B	139.4	145.2	5.9	4.0	2.35	CVE Extension
	204.0	205.0	1.0	0.7	1.18	
	269.5	272.5	3.0	2.3	0.21	
	292.0	293.0	1.0	0.8	0.37	
	316.0	317.0	1.0	0.8	0.78	
	392.7	393.7	1.0	0.8	0.22	
KAD26-510	230.5	237.0	6.5	4.0	2.09	KA Open Pit
Incl.	*233.0*	*234.0*	*1.0*	*0.6*	*11.08*	
	246.0	246.5	0.5	0.3	0.24	
	265.0	266.0	1.0	0.6	0.24	
	287.0	288.0	1.0	0.6	0.22	
	291.0	292.0	1.0	0.6	0.20	
	298.8	301.0	2.2	1.4	0.26	
	329.0	331.0	2.0	1.3	1.24	
	394.0	398.0	4.0	2.6	1.42	
	462.6	465.3	2.7	1.7	0.89	
	510.6	511.1	0.5	0.3	0.28	
	573.0	574.0	1.0	0.7	0.65	
	581.5	582.0	0.5	0.3	0.20	
	591.4	592.4	1.0	0.7	0.22	
	611.7	616.0	4.3	2.9	0.22	
	632.3	634.3	2.1	1.4	0.69	
KAD26-511	23.0	24.0	1.0	0.4	0.39	CVE Extension
	32.8	37.0	4.2	1.8	0.39	
	55.8	56.4	0.6	0.3	0.62	
	61.0	64.0	3.0	1.3	0.32	
	71.0	77.0	6.0	2.7	0.90	
	84.0	95.0	11.0	5.0	0.52	
	102.0	104.4	2.4	1.1	2.39	
Incl.	*103.0*	*103.7*	*0.7*	*0.3*	*7.43*	

Corporate Office
123 Front Street West, Suite 905
Toronto, ON M5J 2M2

705-998-4392
contact@cadillacmines.com
www.cadillacmines.com

Project Office
1 Kerr Mine Road
Virginiatown, ON P0K 1X0

Hole ID	From (m)	To (m)	Downhole Interval (m)	ETW (m)	Au (g/t)	Zone
	121.0	124.5	3.5	1.6	0.76	
	131.0	133.0	2.0	0.9	0.53	
	139.0	142.0	3.0	1.4	0.41	
	146.5	147.0	0.5	0.2	0.20	
	150.0	151.0	1.0	0.5	0.48	
KAD26-512	206.0	206.8	0.8	0.5	6.22	CVE Extension
	245.0	251.0	6.0	3.9	0.86	
	267.1	270.3	3.2	2.1	0.32	
	355.8	357.9	2.1	1.5	0.71	
	374.3	376.3	2.0	1.4	0.97	
	384.5	386.5	2.0	1.4	0.41	
	399.3	409.3	10.0	7.2	0.94	
	539.5	540.5	1.0	0.8	0.30	
KAD26-515	212.0	216.0	4.0	2.1	1.12	CVE Extension
	277.6	313.0	35.4	18.4	1.50	
Incl.	*300.0*	*301.0*	*1.0*	*0.5*	*6.20*	
	318.8	320.0	1.2	0.6	1.42	
	522.0	537.0	15.0	9.2	0.73	
	543.9	546.0	2.1	1.3	0.40	
KAD26-516	*No Significant Values*					CVE Extension
KAD26-523	*Not Sampled*					KA Open Pit
KAD26-523A	195.5	196.5	1.0	0.8	2.23	KA Open Pit
	199.0	200.7	1.7	1.3	1.03	
	225.8	229.8	4.0	3.1	0.92	
	249.5	260.6	11.0	8.5	0.39	
	264.5	267.1	2.6	2.0	0.63	
	267.5	275.0	7.5	5.8	1.30	
	310.7	312.0	1.3	1.0	0.21	
	368.5	373.6	5.1	4.0	0.44	
	400.0	402.0	2.0	1.6	1.02	
	453.0	454.0	1.0	0.8	0.53	
	465.4	472.6	7.2	5.9	2.30	
	478.6	479.6	1.0	0.8	0.26	
	489.4	493.0	3.6	2.9	0.92	
	503.8	509.6	5.8	4.8	1.60	
Incl.	*508.8*	*509.6*	*0.8*	*0.7*	*8.60*	
	533.0	534.0	1.0	0.8	0.87	
	544.0	546.0	2.0	1.7	0.24	
	548.2	550.2	2.0	1.7	0.22	
	551.0	551.8	0.8	0.7	0.23	
KAD26-524	157.0	172.5	15.5	9.4	0.73	CVE Extension
	281.2	294.6	13.4	8.5	0.54	

Corporate Office
123 Front Street West, Suite 905
Toronto, ON M5J 2M2

705-998-4392
contact@cadillacmines.com
www.cadillacmines.com

Project Office
1 Kerr Mine Road
Virginiatown, ON P0K 1X0

Hole ID	From (m)	To (m)	Downhole Interval (m)	ETW (m)	Au (g/t)	Zone
	356.0	360.0	4.0	2.6	0.61	
	477.0	478.0	1.0	0.7	1.82	
	534.3	535.0	0.7	0.5	0.38	
KAD26-528	148.0	152.8	4.8	3.0	0.86	CVE Extension
	173.0	174.0	1.0	0.6	2.59	
	204.0	205.0	1.0	0.6	0.34	
	218.0	219.0	1.0	0.7	0.21	
	226.0	226.7	0.7	0.4	0.65	
	230.7	231.7	1.0	0.7	0.38	
	271.5	277.9	6.4	4.3	0.50	
	285.6	286.4	0.8	0.6	0.29	
	310.3	314.0	3.7	2.6	1.37	
	320.0	321.0	1.0	0.7	0.44	
	324.0	327.0	3.0	2.1	0.27	
	355.0	363.0	8.0	5.7	0.35	
KAD26-534	127.2	130.7	3.5	2.5	0.85	CVE Extension
	229.5	230.8	1.2	0.9	1.37	
	237.0	261.0	24.0	18.0	1.19	
Incl.	*249.0*	*250.0*	*1.0*	*0.8*	*6.21*	
	267.2	268.6	1.5	1.1	3.84	
Incl.	*267.2*	*267.8*	*0.6*	*0.5*	*8.10*	
	272.0	273.0	1.0	0.8	0.25	
	277.6	299.0	21.4	16.3	0.77	
KAD26-536	56.1	57.3	1.3	0.7	0.20	KA Open Pit
	61.7	63.2	1.5	0.9	0.25	
	67.0	75.0	8.0	4.7	0.41	
	133.0	134.0	1.0	0.6	38.04	
	153.0	156.7	3.7	2.3	0.20	
	159.0	160.0	1.0	0.6	0.29	
	195.0	201.0	6.0	3.8	0.40	
KAD26-539	179.0	183.9	4.9	2.7	0.69	CVE Extension
	237.0	242.2	5.2	2.9	0.73	
	323.0	324.0	1.0	0.6	0.21	
	338.0	342.0	4.0	2.3	0.32	
KAD26-540	*Not Sampled*					KA Open Pit
KAD26-540A	260.0	272.0	12.0	7.2	0.35	KA Open Pit
	290.0	296.9	7.0	4.2	2.55	
Incl.	*290.9*	*291.9*	*1.0*	*0.6*	*16.51*	
	346.8	347.8	1.0	0.6	0.93	
	361.0	371.0	10.0	6.1	0.60	
KAD26-544	24.3	41.8	17.5	13.4	0.70	KA Open Pit
	45.0	46.0	1.0	0.8	0.29	

Corporate Office
123 Front Street West, Suite 905
Toronto, ON M5J 2M2

705-998-4392
contact@cadillacmines.com
www.cadillacmines.com

Project Office
1 Kerr Mine Road
Virginiatown, ON P0K 1X0

Hole ID	From (m)	To (m)	Downhole Interval (m)	ETW (m)	Au (g/t)	Zone
	50.2	52.0	1.8	1.4	1.35	
	55.2	69.0	13.8	10.7	0.77	
	77.8	78.4	0.6	0.5	0.44	
	87.0	87.9	0.9	0.7	0.60	
	128.0	129.0	1.0	0.8	0.27	
	132.0	133.0	1.0	0.8	0.25	
	140.7	149.8	9.1	7.2	0.73	
	155.3	157.7	2.4	1.9	0.21	
	162.5	164.5	2.0	1.6	1.07	
	167.8	170.6	2.9	2.3	0.41	
	291.8	292.2	0.5	0.4	13.43	
	316.2	317.3	1.1	0.8	1.05	
	180.0	184.0	4.0	2.1	3.22	
Incl.	*182.0*	*183.0*	*1.0*	*0.5*	*6.64*	
	245.0	266.2	21.2	11.8	0.81	
KAD26-545	298.1	298.9	0.8	0.4	0.21	CVE Extension
	382.8	383.3	0.5	0.3	0.27	
	532.0	540.0	8.0	4.6	1.05	
	582.0	584.0	2.0	1.2	0.43	
	639.0	640.0	1.0	0.6	0.20	
	242.0	243.0	1.0	0.5	22.40	
	307.7	309.2	1.5	0.7	0.28	
	312.5	324.0	11.5	5.7	0.55	
	328.0	340.5	12.5	6.2	0.21	
	344.4	350.4	6.0	3.0	0.31	
	402.4	403.9	1.5	0.7	0.59	
	408.5	409.0	0.5	0.3	0.36	
KAD26-548	416.8	418.2	1.5	0.7	0.26	KA Open Pit
	423.5	426.0	2.6	1.3	0.24	
	440.4	441.0	0.6	0.3	0.28	
	442.5	446.6	4.1	2.1	0.21	
	511.0	514.0	3.0	1.5	2.40	
	523.9	525.0	1.2	0.6	0.63	
	534.2	540.2	6.0	3.0	0.46	
	545.7	546.7	1.0	0.5	0.25	
	558.4	559.5	1.1	0.6	0.20	
	143.9	158.5	14.6	9.8	0.73	
	190.7	191.7	1.0	0.7	0.39	
	225.4	226.4	1.0	0.7	0.21	
KAD26-549	228.3	229.0	0.7	0.5	0.55	CVE Extension
	274.9	278.9	4.0	2.8	0.63	
	315.7	316.3	0.7	0.5	1.19	

Corporate Office
123 Front Street West, Suite 905
Toronto, ON M5J 2M2

705-998-4392
contact@cadillacmines.com
www.cadillacmines.com

Project Office
1 Kerr Mine Road
Virginiatown, ON P0K 1X0

Hole ID	From (m)	To (m)	Downhole Interval (m)	ETW (m)	Au (g/t)	Zone
	319.9	320.9	1.0	0.7	61.09	
	328.2	350.2	22.0	16.2	0.68	
	354.3	355.4	1.2	0.9	0.87	
	360.4	373.5	13.1	9.7	0.61	
	396.5	397.5	1.0	0.7	0.38	
	424.0	425.0	1.0	0.8	0.26	
	462.0	464.0	2.0	1.5	0.37	
	502.7	503.5	0.8	0.6	0.30	
	35.0	46.0	11.0	7.0	0.49	
	51.0	60.0	9.0	5.7	0.92	
Incl.	*57.1*	*58.0*	*0.9*	*0.6*	*6.47*	
	77.6	86.9	9.4	6.0	1.90	
	107.0	109.2	2.2	1.4	0.60	
KAD26-550	141.7	142.4	0.7	0.5	0.47	KA Open Pit
	153.9	157.4	3.5	2.3	0.27	
	161.0	166.2	5.2	3.5	0.31	
	180.2	181.1	0.9	0.6	0.20	
	191.0	191.6	0.6	0.4	0.85	
	126.0	127.0	1.0	0.7	0.30	
	132.0	140.0	8.0	5.5	0.24	
	253.0	253.5	0.5	0.4	0.27	
	275.0	284.0	9.0	6.9	0.57	
KAD26-553	292.0	293.0	1.0	0.8	0.24	CVE Extension
	397.0	398.0	1.0	0.8	0.20	
	406.0	407.0	1.0	0.8	0.36	
	419.0	421.0	2.0	1.6	0.87	
	201.5	214.3	12.8	8.0	3.89	
Incl.	*203.8*	*207.5*	*3.8*	*2.4*	*11.23*	
	245.2	248.0	2.9	1.8	0.49	
	270.0	270.7	0.7	0.4	0.53	
KAD26-554	287.4	288.4	1.0	0.6	0.38	KA Open Pit
	326.0	327.0	1.0	0.6	0.27	
	334.6	341.3	6.7	4.1	0.30	
	345.2	346.2	1.0	0.6	0.36	
	161.2	164.0	2.8	2.1	0.63	
KAD26-555	221.0	223.0	2.0	1.5	0.46	CVE Extension
	237.0	242.0	5.0	3.9	0.20	
	269.0	270.3	1.3	1.0	1.00	
	138.8	144.6	5.8	3.8	0.30	
KAD26-557	206.0	207.0	1.0	0.7	0.39	CVE Extension
	286.9	291.5	4.6	3.3	0.28	
	294.9	296.0	1.2	0.8	0.21	

Corporate Office
123 Front Street West, Suite 905
Toronto, ON M5J 2M2

705-998-4392
contact@cadillacmines.com
www.cadillacmines.com

Project Office
1 Kerr Mine Road
Virginiatown, ON P0K 1X0

Hole ID	From (m)	To (m)	Downhole Interval (m)	ETW (m)	Au (g/t)	Zone
	308.0	310.0	2.0	1.4	0.40	
	316.0	328.1	12.2	8.4	3.39	
Incl.	*316.0*	*316.8*	*0.8*	*0.6*	*46.17*	
	459.3	460.0	0.8	0.6	0.23	
KAD26-559	206.0	210.3	4.3	2.4	0.23	KA Open Pit
	215.0	218.0	3.0	1.7	0.91	
	222.4	224.0	1.7	0.9	0.28	
	231.0	232.0	1.0	0.6	0.22	
	242.0	250.0	8.0	4.5	2.16	
	276.8	277.9	1.1	0.6	0.28	
	283.0	285.1	2.1	1.2	0.54	
	315.0	315.7	0.6	0.4	0.40	
KAD26-562	226.9	227.6	0.6	0.4	0.22	KA Open Pit
	230.2	234.9	4.7	3.1	0.21	
	253.2	255.0	1.8	1.2	0.35	
	312.0	319.0	7.0	4.6	0.41	
	336.1	339.0	2.9	1.9	0.31	
	369.8	377.0	7.2	4.8	1.05	

Notes on Table 1:

1. *Estimated True Widths (ETW) are estimated based on drill hole Geology or comparison with other on-section drill holes.*
2. *The composite assay grades presented in the summary tables are calculated using a minimum average of 0.20 g/t for Au, with a maximum of 3.0 m internal waste and no grade capping.*